



KRAL ARMS

AIR RIFLES

**20
22**

**PRODUCT
CATALOGUE**

www.kralarms.com



Kral Arms
Difference

“
RELIABILITY
EXPERTISE
PRECISION
”

Only the highest and most advanced technologies

18.000 M²
integrated facility

more than 250
expert in the field

Over 100
impeccable product with craftsmanship and highest technology

Over 70
countries of importers

All in One
facility for metal, wood, polymer injection and assembly
process and production

24
licenced brand and technology

About Us

KRAL ARMS produces shotguns, air rifles and blank pistols in 18.000 square meter production facilities with more than 250 people. We use the highest technology with manual labor to offer you the best quality.

The production within the border of KRAL includes, machining of wood, machining of metal parts, injection molding, metal injection, mold making, welding, engraving, barrel drilling & barrel manufacturing, laser marking, laser engraving on wood & metal parts, camouflage coating, assembly, quality assurance testing, test shooting, etc.

KRAL ARMS is an export oriented factory and exports 99,5% of its products to more than 70 countries around the world. KRAL ARMS products with their very good quality and competitive prices receive a very well acceptance all around the world. KRAL ARMS is enough able to and has background to produce any type gun in house. Our mission is to product the better to cheaper. Like for the last 26 years, as long as the world exists, we will continue to serve for you.

INDEX



PCP Puncher Series
13-46



N Series
47-54



Accessories
55-57




KRAL ARMS

EXPERIENCE THE DIFFERENCE

We know, what an air rifle shooter wants. With an experience of years, unique designs and engineering, Kral Arms gives you the comfort of Shooting..

ICON NAVIGATOR



NS60

PUNCHER



NEW

1100 FPS



SIDE LEVER SYSTEM



ADJUSTABLE RUBBER



22MM MILSPEC PICATINNY



SHROUDED BARREL

DETAILS

- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm), .25 (6.35mm), .30 (7.62mm) and .35 (9mm) caliber.
- 250 Bar 500 cc volume aluminum air tank..
- Air Capacity is from 250 bar to 100 bar up to 140 shots in cal .177 // 120 shots in cal .22 // 100 shots in cal .25 // 90 shots in can .30 // 70 shots in cal .35
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm), 10-shot magazine in .25 (6.35mm), 9-shot magazine in .30(7.62mm) – 7 shot magazine in .35(9mm)
- Adjustable five stage (up&down) and two cm moveable (back&front) soft buttpad.

- The 22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality Turkish Walnut stock.
- * Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- *Maximum velocity can verify as per regional requests.
- Scope is optional
- * Below power results are tested with (Cal .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 // .30 - 44,75 grain // .35- 81,02 grain)

Caliber	Length	Weight	Magazine	Barrel	Stock	Weight	Velocity	Energy
4.5 mm .177cal	22.8" / 58 cm	1100 fps / 30 Joules	250 Bar / 3600 Psi 500 cc	37" / 94 cm	High Quality Turkish Walnut Stock	4.40 kg / 9.70 Lbs	4.5mm/140 Shots	4.5 mm / 14 Pcs
5.5 mm .22cal							5.5mm/120 Shots	5.5 mm / 12 Pcs
6.35 mm .25cal							6.35mm/100 Shots	6.35 mm / 10 Pcs
7.62 mm .30cal							7.62mm/ 90 Shots	7.62 mm / 9 Pcs
9 mm .35cal							9mm/70 Shots	9 mm / 7 Pcs

NS60 AUTO

PUNCHER




NEW

DETAILS


- Side lever action, pre-charged pneumatic (PCP) Semi Auto air rifle.
- Available in .177 (4.5mm), .22 (5.5mm), .25 (6.35mm), .30 (7.62mm) and .35 (9mm) caliber.
- 250 Bar 500 cc volume aluminum air tank..
- Air Capacity is from 250 bar to 100 bar up to 140 shots in cal .177 // 120 shots in cal .22 // 100 shots in cal .25 // 90 shots in can .30 // 70 shots in cal .35
- 1/2" UNF threaded muzzle for additional detachable sound moderators.

- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm), 10-shot magazine in .25 (6.35mm), 9-shot magazine in .30(7.62mm) – 7 shot magazine in .35(9mm)
- Adjustable five stage (up&down) and two cm moveable (back&front) soft buttpad.
- The 22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Manual trigger safety.


- Kral-built choked, rifled barrel
- Available in High Quality Turkish Walnut stock.
- * Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- *Maximum velocity can verify as per regional requests.
- Scope is optional
- * Below power results are tested with (Cal .177 - 8.44 grain // .22- 1.175 grain // .25 - 1.645 // .30 - 44,75 grain // .35- 81,02 grain)



ADJUSTABLE RUBBER



22MM MILSPEC PICATINNY



SHROUDED BARREL



DOUBLE COCKING LEVER SYSTEM

1100 FPS

Caliber	Length	Weight	Magazine	Barrel	Stock	Weight	Velocity	Energy
4.5 mm .177cal	22.8" / 58 cm	1100 fps / 30 Joules	250 Bar / 3600 Psi 500 cc	37" / 94 cm	High Quality Turkish Walnut Stock	4.40 kg / 9.70 Lbs	4.5mm/140 Shots	4.5 mm / 14 Pcs
5.5 mm .22cal							5.5mm/120 Shots	5.5 mm / 12 Pcs
6.35 mm .25cal							6.35mm/100 Shots	6.35 mm / 10 Pcs
7.62 mm .30cal							7.62mm/ 90 Shots	7.62 mm / 9 Pcs
9 mm .35cal							9mm/70 Shots	9 mm / 7 Pcs

MORTAL

PUNCHER



NEW

1100 FPS

DETAILS

- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 200 Bar 200 cc volume aluminum air tank..
- With 200 cc air tan – Shooting capacity from 200 bar to 50 bar up to 70 shots in cal .177 // 60 shots in cal .22 // 50 shots in cal .25
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm).
- Adjustable 6 – Stage (back&forward) moveable tactical stock.
- Foldable Stock.
- The 22-22 mm PICATINNY RAIL system is in accordance

- with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality black synthetic stock.
- * Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- *Maximum velocity can verify as per regional requests.
- Scope is optional
- * Below power results are tested with (Cal .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)



SIDE LEVER SYSTEM



5-STAGE ADJ. STOCK



22MM MILSPEC PICATINNY



SHROUDED BARREL



ADJUSTABLE POWER

Caliber	Length	Weight	Capacity	Stock	Weight	Power	Capacity	Weight	
4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	16.2" / 40.7 cm	850 fps / 18.3 Joules 800 fps / 35 Joules 750 fps / 42.8 Joules	200 Bar / 3600 Psi 200 cc	33.1" to 36.2" 84 to 92 cm	14.4" to 17.5" 36.5 to 44.5 cm	High Quality Synthetic Stock	3.51 kg / 7.72 Lbs	4.5mm/70 Shots 5.5mm/60 Shots 6.35mm/50 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs

MORTAL X

PUNCHER



NEW

DETAILS


- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 200 Bar 330 cc volume aluminum air tank..
- With 200 cc air tank – Shooting capacity from 200 bar to 50 bar up to 98 shots in cal .177 // 84 shots in cal .22 // 70 shots in cal .25
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine

- in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm).
- Adjustable 6 – Stage (back&forward) moveable tactical stock.
- Foldable Stock.
- The 22-22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.

- Kral-built choked, rifled barrel
- Available in High Quality black synthetic stock.
- * Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- *Maximum velocity can verify as per regional requests.
- Scope is optional
- * Below power results are tested with (Cal .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)



5-STAGE ADJ. STOCK



22MM MILSPEC PICATINNY



SHROUDED BARREL



SIDE LEVER SYSTEM



ADJUSTABLE POWER

1100 FPS

Caliber	Length	Weight	Capacity	Stock	Weight	Power	Capacity	Weight	
4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	22.8" / 58 cm	1100 fps / 31 Joules 920 fps / 46 Joules 820 fps / 52 Joules	200 Bar / 3600 Psi 330 cc	40.2" to 42.9" 101 to 109 cm	14.4" to 17.5" 36.5 to 44.5 cm	High Quality Synthetic Stock	4.05 kg / 8.90 Lbs	4.5mm/98 Shots 5.5mm/84 Shots 6.35mm/70 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs

SHADOW

PUNCHER




SHADOW



NEW

SHADOW - F




DETAILS




- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 250 Bar 500 cc volume aluminum air tank.
- With Regulator from 250 bar to 120 bar up to 126 shots in cal.177 // 108 shots in cal.22 // 90 shots in cal.25
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm).
- Adjustable 6 - Stage (back&forward) moveable tactical stock.
- Adjustable five stage (up&down) and two cm moveable (back&front) soft buttpad.
- Foldable Stock.
- The 11-22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality black synthetic stock.
- * Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- *Maximum velocity can verify as per regional requests.
- Scope is optional
- * Below power results are tested with (Cal.177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)

REGULATED

480cc Carbon Fiber Air Bottle Spare
Carbon Fiber Tanks Are Available




SIDE WIND SYSTEM




ADJUSTABLE RUBBER



ADJUSTABLE STOCK



22MM MILSPEC PICATINNY



SHROUDED BARREL

Caliber	Length	Velocity	Pressure	Magazine	Weight	Material	Weight	Shots	Magazine
4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	53 cm 20.8 inç	950 fps / 23 Joule 870 fps / 42 Joule 800 fps / 49 Joule	250 Bar / 3600 Psi 500 cc	105 cm 41.3 inç	36.5 cm 14.3 inç	High Quality Synthetic	3.40 kg / 7.50 Lbs	4.5mm/126 Shots 5.5mm/108 Shots 6.35mm/90 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs

NISH S

PUNCHER



NEW

1000 FPS

DETAILS

- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 200 Bar 280 cc volume aluminum air tank.
- With 200 cc air tank – Shooting capacity from 200 bar to 50 bar up to 84 shots in cal. .177 // 72 shots in cal. .22 // 60 shots in cal. .25
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm).
- The 11-22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.


- Adjustable trigger pull weight.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality black synthetic stock.
- * Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- *Maximum velocity can verify as per regional requests.
- Scope is optional
- * Below power results are tested with (Cal.177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)



SIDE LEVER SYSTEM



ADJUSTABLE RUBBER



11x22MM MILSPEC PICATINNY



SHROUDED BARREL



ADJUSTABLE POWER

Caliber	Length	Weight	Magazine	Barrel	Stock	Weight	Shots	Power
4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	20.9" / 53 cm	1000 fps / 30 Joules 880 fps / 44 Joules 800 fps / 52 Joules	200 Bar / 3600 Psi 280 cc	33.1" / 100 cm	14.4" / 39.4 cm High Quality Synthetic Stock	3.30 kg / 7.50 Lbs	4.5mm/350 Shots 5.5mm/300 Shots 6.35mm /250 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs

NISH W

PUNCHER




NEW

DETAILS


- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 200 Bar 280 cc volume aluminum air tank.
- With 200 cc air tank – Shooting capacity from 200 bar to 50 bar up to 84 shots in cal. .177 // 72 shots in cal. .22 // 60 shots in cal. .25
- 1/2" UNF threaded muzzle for additional detachable sound moderators.

- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm).
- The 11-22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Manual trigger safety.
- Kral-built choked, rifled barrel

- Available in High Quality black synthetic stock.
- * Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- *Maximum velocity can verify as per regional requests.
- Scope is optional
- * Below power results are tested with (Cal.177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)




ADJUSTABLE RUBBER



22MM MILSPEC PICATINNY



SHROUDED BARREL



SIDE LEVER SYSTEM



ADJUSTABLE POWER


1100 FPS

Caliber	Length	Weight	Magazine	Barrel	Stock	Weight	Shots	Power
4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	20.9" / 53 cm	1000 fps / 30 Joules 880 fps / 44 Joules 800 fps / 52 Joules	200 Bar / 3600 Psi 280 cc	33.1" / 100 cm	14.4" / 36.5 cm High Quality Turkish Walnut Stock	3.65 kg / 8.04 Lbs	4.5mm/350 Shots 5.5mm/300 Shots 6.35mm /250 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs




REBORN

PUNCHER



REBORN



NEW

ARROW LAUNCHER


DETAILS




- Side lever action, & Arrow Launcher pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 200 Bar 330 cc volume aluminum air tank..
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm).
- The airgun is designed to fire 20 long arrows with an inner diameter of 0.300-0.305 (7.62-7.75mm)
- The 22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality black synthetic stock.
- * Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- *Maximum velocity can verify as per regional requests.
- * Below power results are tested with (Cal. .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)




SIDE WIND SYSTEM



22MM MILSPEC PICATINNY



JACKET BARREL



ADJUSTABLE POWER



4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	55 cm 22.8 inç	200 Bar / 3000 Psi 330 cc	105 cm 41.3 inç	36.5 cm 14.3 inç	High Quality Turkish Walnut	3.60 kg / 7.90 Lbs	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs

SUPERDUTY

PUNCHER




SUPERDUTY



SIDE LEVER SYSTEM



ADJ.BUTTPAD




22MM MILSPEC PICATINNY



FULL SHROUDED BARREL



THREE AIR TANK



ADJUSTABLE POWER

DETAILS



- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 1425 cc volume aluminum air tank..
- Up to 850 shots with three air tanks (500cc+500cc+425cc) in cal .177 // 720 shots in cal .22 // 350 shots in cal .25 (From 250 bar to 100 bar)
- Externally adjustable power.
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm).
- Adjustable five stage (up&down) and two cm moveable (back&front) soft buttstock.
- The 22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality black synthetic stock.
- * Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- *Maximum velocity can verify as per regional requests.
- * Below power results are tested with (Cal .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)

1425
cc

850
Shots

Caliber	Length	Velocity / Energy	Pressure / Volume	Overall Length	Barrel Length	Stock	Weight	Shots	Magazine Capacity
4.5 mm .177cal	22.8" / 58 cm	1100 fps / 30 Joules	250 Bar / 3600 Psi 1425 cc	41.3" / 105 cm	15.7" / 40 cm	High Quality Synthetic	4.90 kg / 7.50 Lbs	4.5mm/850 Shots 5.5mm/720 Shots 6.35mm/350 Shots	4.5 mm / 14 Pcs
5.5 mm .22cal		900 fps / 44 Joules							5.5 mm / 12 Pcs
6.35 mm .25ca		900 fps / 60 Joules							6.35 mm / 10 Pcs



JUMBO DAZZLE


PUNCHER



JUMBO DAZZLE - C



JUMBO DAZZLE - S



TACTICAL FOLDABLE STOCK




01 SIDE LEVER SYSTEM




02 5-STAGE ADJ. STOCK



03 6-STAGE ADJ. CHEEK REST



04 11-22MM MILSPEC PICATINNY



05 FULL SHROUDED BARREL



06 SPARE AIR TANK



07 ADJUSTABLE POWER

DETAILS



- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 500cc volume detachable aluminum air tank. Another 500cc volume spare aluminum air tank is in box content.
- Up to 350 shots with two air tanks (500cc+500cc) in cal .177 // 300 shots in cal .22 // 250 shots in cal .25 (From 250 bar to 100 bar)
- Externally adjustable power.
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm).
- Tactical five stage adjustable telescopic folding stock and soft rubber AR 15 pistol grip.
- Adjustable six stage cheek rest and soft rubber butt pad.
- The 11-22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Available in black or camouflage stock options.
- * Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- *Maximum velocity can verify as per regional requests.
- Scope is optional
- * Below power results are tested with (Cal .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)



Caliber	Length	Velocity / Energy	Pressure / Tank	Length (Stock)	Length (Folded)	Material	Weight	Shots	Magazine Capacity
4.5 mm .177cal	22.8" / 58 cm	1100 fps / 30 Joules	250 Bar / 3600 Psi 500 cc	40.2" to 43.3"	13.5" to 16.7"	C: G1Camouflaged Synthetic S: Synthetic	3.40 kg / 7.50 Lbs	4.5mm/350 Shots	4.5 mm / 14 Pcs
5.5 mm .22cal		900 fps / 44 Joules						5.5mm/300 Shots	5.5 mm / 12 Pcs
6.35 mm .25ca		820 fps / 52 Joules						6.35mm/250 Shots	6.35 mm / 10 Pcs



BIGMAX X



PUNCHER




BIGMAX XC



BIGMAX XB




SIDE LEVER SYSTEM




ADJ. BUTTPAD




22MM MILSPEC PICATINNY



FULL SHROUDED BARREL



TWO AIR TANK



ADJUSTABLE POWER

DETAILS



- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 250 Bar 925 cc volume aluminum air tank.
- Up to 120 shots with two air tanks (500cc+425cc) in cal .177 // 100 shots in cal .22 // 70 shots in cal .25 // 70 shots in cal .30 (From 250 bar to 100 bar)
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm) and 9-shot magazine in .30 (7.62mm).
- Adjustable five stage (up&down) and two cm moveable (back&front) soft buttpad.
- The 22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions: right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in black synthetic & carbon camouflaged stock.
- * Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- *Maximum velocity can verify as per regional requests.
- Scope is optional
- * Below power results are tested with (Cal .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 // .30 - 44.75 grain)

Caliber	Length	Velocity / Energy	Pressure / Volume	Barrel Length	Stock Length	Material	Weight	Capacity	Magazine
4.5 mm .177cal	34.4" / 58 cm	1300 fps / 43 Joules	250 Bar / 3625 Psi 925 cc	42" / 106.5 cm	14.9" / 38 cm	Carbon Camouflaged & Synthetic	3.90 kg / 7.50 Lbs	4.5mm / 120 Shots	4.5 mm / 14 Pcs
5.5 mm .22cal		1200 fps / 78 Joules						5.5mm / 100 Shots	5.5 mm / 12 Pcs
6.35 mm .25cal		1100 fps / 92 Joules						6.35mm / 70 Shots	6.35 mm / 10 Pcs
7.62 mm .30cal		950 fps / 122 Joules						7.62mm / 70 Shots	7.62 mm / 9 Pcs



EMPIRE

PUNCHER



EMPIRE



EMPIRE X

EMPIRE X- 2 AIR TANKS //TOTAL 600 CC



EMPIRE XS


DETAILS



- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm)
- Adjustable five stage (up&down) and two cm moveable (back&front) soft buttpad.
- Ergonomic Safety(Easy to use)
- The 22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in Turkish Walnut & High Quality Synthetic stock.
- Right - Left Changeable Cocking Lever
- * Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- *Maximum velocity can verify as per regional requests.
- 3-Stage rear & forward moveable cheek rest
- Scope is optional
- * Below power results are tested with (Cal.177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)




SIDE WIND SYSTEM




ADJ. BUTTPAD



ADJUSTABLE STOCK



22MM MILSPEC PICATINNY



SHROUDED & SILENCED BARREL



RIGHT & LEFT CHANGEABLE COCKING LEVER

	Light	Length	Magazine	Power	Weight	Height	Width	Weight	Shots	Accessories
-		48 cm / 20.9"	900 fps / 21 Joule 900 fps / 44 Joule 820 fps / 52 Joule	200 bar 3000 Psi 330 cc	76 cm / 30.7"	36.5 cm / 14.3"	High Quality Turkish Walnut	3.75 kg / 8.25 Lbs	4.5mm / 70 Shots 5.5mm / 60 Shots 6.35mm / 50 Shots	
X	4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca		900 fps / 21 Joule 900 fps / 44 Joule 820 fps / 52 Joule	200 bar 3000 Psi 600 cc				3.95 kg / 8.70 Lbs	4.5mm / 168 Shots 5.5mm / 144 Shots 6.35mm / 120 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs
XS		33 cm / 22.8"	850 fps / 19 Joule 750 fps / 31 Joule 680 fps / 36 Joule	200 bar 3000 Psi 200 cc	61 cm / 24"	36.5 cm / 14.3"		2.90 kg / 6.40 Lbs	4.5mm / 56 Shots 5.5mm / 48 Shots 6.35mm / 40 Shots	




BIGHORN

PUNCHER



BIGHORN



DETAILS



- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .22(5.5mm) .25 (6.35mm) .30 (7.62mm) and .35 (9mm) caliber.
- 250 Bar 500 cc volume aluminum air tank.
- Up to 60 shots in cal .22 // 50 shots in cal .25 // 50 shots in cal .30 // 50 shots in cal .35 (From 250 bar to 100 bar)
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 10-shot magazine in .25 (6.35mm) , 9-shot magazine in .30 (7.62mm) 7 shot magazine in cal .35(9mm).
- Adjustable five stage (up&down) and two cm moveable (back&front) soft buttpad.
- The 22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Available in high quality Turkish Walnut stock.
- * Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- *Maximum velocity can verify as per regional requests.
- Scope is optional * Below power results are tested with (Cal .22-1.175 grain // .25 - 1.645 // .30 - 44,75 grain // .35- 81,02 grain)

BIG BORE



SIDE LEVER SYSTEM



ADJ. BUTTPAD



22MM MILSPEC PICATINNY



FULL SHROUDED BARREL



ADJ. CHEEK REST

Caliber	Length	Power	Air Tank	Overall Length	Stock Length	Material	Weight	Capacity	Magazine
5.5mm .25cal	22.8" / 58 cm	1200 fps / 80 Joules	250 Bar / 3600 Psi 500 cc	41.3" / 105 cm	14.3" / 38 cm	High Quality Turkish Walnut	3.60 kg / 7.90 Lbs	5.5mm/60 Shots	5.5 mm / 12 Pcs
6.35mm .25cal		1100 fps / 92 Joules						6.35mm/50 Shots	6.35 mm / 10 Pcs
7.62mm .30cal		900 fps / 110 Joules						7.62mm/50 Shots	7.62 mm / 9 Pcs
9 mm .35cal		880 fps / 191 Joules						9mm/50 Shots	9 mm / 7 Pcs

NP500

PUNCHER




900 FPS

DETAILS

- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 250 Bar 500 cc volume aluminum air tank..
- Up to 170 shots in cal.177 // 150 shots in cal.22 // 120 shots in cal.25 (From 250 bar to 100 bar)
- Externally adjustable power.
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm).
- Adjustable 6 - Stage (back&forward) moveable tactical stock.
- Adjustable five stage (up&down) and two cm moveable (back&front) soft buttpad.
- The 11-22 mm PICATINNY RAIL system is in accordance with

- the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality black synthetic stock.
- * Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- *Maximum velocity can verify as per regional requests.
- Scope is optional
- * Below power results are tested with (Cal.177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)



01 SIDE LEVER SYSTEM



02 6-STAGE REAR & FORWARD MOVEABLE TACTICAL STOCK



03 11-22MM MILSPEC PICATINNY



04 FULL SHROUDED BARREL



05 5 STAGE ADJ. CHEEK REST



06 ADJUSTABLE POWER

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	16" / 40.7 cm	900 fps / 21 Joules 900 fps / 44 Joules 820 fps / 52 Joules	250 Bar / 3600 Psi 500 cc	30.3" / 77 cm	14.3" / 36.5 cm	High Quality Synthetic Stock	3.60 kg / 7.93 Lbs	4.5mm/168 Shots 5.5mm/144 Shots 6.35mm/120 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs

PRO500

PUNCHER



SHROUDED & SILENCER INCLUDED BARREL


DETAILS

- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 250 Bar 500 cc volume aluminum air tank.
- Full Shrouded and silenced barrel.
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm)


- The 11-22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality Turkish Walnut stock.

- * Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- *Maximum velocity can verify as per regional requests.
- Scope is optional
- * Below power results are tested with (Cal.177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)

900 FPS



01 11-22MM MILSPEC PICATINNY



02 FULL SHROUDED BARREL



03 SIDE LEVER SYSTEM



04 ADJUSTABLE POWER

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	20.8" / 53 cm	900 fps / 21 Joules 900 fps / 44 Joules 820 fps / 52 Joules	250 Bar / 3600 Psi 500 cc	41.3" / 105 cm	13.7" / 35 cm	High Quality Turkish Walnut	3.80 kg / 8.35 Lbs	4.5mm/168 Shots 5.5mm/144 Shots 6.35mm/120 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs

KNIGHT

PUNCHER



KNIGHT W



KNIGHT S

DETAILS



- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 250 Bar 500 cc volume aluminum air tank.
- Changeable calibers (between 4.5-5.5-6.35)
- Adjustable five stage (up&down) and two cm moveable (back&front) soft buttpad.
- Adjustable cheek piece.
- Full Shrouded barrel.
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm)
- The 22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality Turkish Walnut&Synthetic stock.
- * Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- *Maximum velocity can verify as per regional requests.
- Scope is optional
- * Below power results are tested with (Cal .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)


INTERCHANGEABLE CALIBERS




WRENCH




SIDE LEVER SYSTEM



ADJ. BUTTPAD




22MM MILSPEC PICATINNY



FULL SHROUDED BARREL



ADJ. CHEEK REST



ADJUSTABLE POWER

Caliber	Length	Velocity / Energy	Pressure / Tank	Overall Length	Weight	Material	Weight	Shots	Magazine
4.5 mm .177cal	22.8" / 58 cm	900 fps / 21 Joules	250 Bar / 3600 Psi 500 cc	34.4" / 87.5 cm	15.1" / 38.5 cm	W: High Quality Turkish Walnut S: Synthetic	W: 3.95 kg / 8.70 Lbs S: 3.35 kg / 7.40 Lbs	4.5mm/168 Shots	4.5 mm / 14 Pcs
5.5 mm .22cal		900 fps / 44 Joules						5.5mm/144 Shots	5.5 mm / 12 Pcs
6.35 mm .25ca		820 fps / 52 Joules						6.35mm/120 Shots	6.35 mm / 10 Pcs



SUPER JUMBO


PUNCHER



SUPER JUMBO



SUPER JUMBO S



DETAILS



- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 250 Bar 500 cc volume aluminum air tank.
- Full Shrouded barrel.
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm)
- The 11-22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality Turkish Walnut & Synthetic stock.
- Scope is optional
- * Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- *Maximum velocity can verify as per regional requests.
- **For Synthetic Stock :**
- Adjustable five stage (up&down) and two cm moveable (back&-front) soft buttpad.
- Adjustable cheek piece.
- * Below power results are tested with (Cal .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)



6-STAGE REAR & FORWARD MOVEABLE TACTICAL STOCK



SIDE LEVER SYSTEM



11-22MM MILSPEC PICATINNY



FULL SHROUDED BARREL



ADJUSTABLE POWER

W	4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	22.8" / 53 cm	900 fps / 21 Joules 900 fps / 44 Joules 820 fps / 52 Joules	250 Bar / 3600 Psi 500 cc	41.3" / 97 cm	15.1" / 38.5 cm	High Quality Turkish Walnut	3.95 kg 8.70 Lbs	4.5mm/168 Shots 5.5mm/144 Shots 6.35mm/120 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs
S							Synthetic	3.10 kg 6.80 Lbs		



EKINOKS



PUNCHER




EKINOKS W




EKINOKS S




SIDE LEVER SYSTEM



ADJ. BUTTPAD



22MM MILSPEC PICATINNY



FULL SHROUDED BARREL



ADJ. CHEEK REST

DETAILS



- Side lever action, pre-charged Semi-Auto pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- Adjustable five stage (up&down) and two cm moveable (back&front) soft buttpad.
- Adjustable cheek piece.
- 200 Bar 425 cc volume aluminum air tank.
- Up to 42 shots in cal .177 // 36 shots in cal .22 // 30 shots in cal .25 (From 200 bar to 100 bar)
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm).
- Adjustable (up&down) and cheek piece.
- The 22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality black synthetic stock.
- * Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- *Maximum velocity can verify as per regional requests.
- * Below power results are tested with (Cal .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)

SEMI AUTO

Caliber	Length	Velocity / Energy	Pressure / Volume	Overall Length	Barrel Length	Material	Weight	Capacity	Magazine
4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	18.9" / 48 cm	1100 fps / 31 Joules 920 fps / 47 Joules 850 fps / 55 Joules	200 Bar / 3000 Psi 425 cc	28.7" / 91 cm	14.3" / 36.5 cm	W: High Quality Turkish Walnut S: Synthetic	W: 3.95 kg / 8.70 Lbs S: 3.55 kg / 7.80 Lbs	4.5mm/42 Shots 5.5mm/36 Shots 6.35mm/30 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs




AUTO

PUNCHER



AUTO



DETAILS




- Side lever action, pre-charged Semi-Auto pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- Adjustable five stage (up&down) and two cm moveable (back&front) soft buttpad.
- Adjustable cheek piece.
- 200 Bar 425 cc volume aluminum air tank.
- Up to 42 shots in cal .177 // 36 shots in cal .22 // 30 shots in cal .25 (From 200 bar to 100 bar)
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm).
- Adjustable (up&down) and cheek piece.
- The 22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality black synthetic stock.
- * Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- *Maximum velocity can verify as per regional requests.
- * Below power results are tested with (Cal .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)

SEMI
AUTO



01 SIDE LEVER SYSTEM



02 22MM MILSPEC PICATINNY



03 FULL SHROUDED BARREL

Caliber	Length	Velocity / Energy	Pressure / Volume	Barrel Length	Stock Length	Material	Weight	Capacity	Magazine
4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	18.9" / 48 cm	1100 fps / 31 Joules 920 fps / 47 Joules 850 fps / 55 Joules	200 Bar / 3000 Psi 425 cc	28.7" / 73 cm	14.3" / 36.5 cm	High Quality Turkish Walnut	3.65 kg / 8.05 Lbs	4.5mm/112 Shots 5.5mm/96 Shots 6.35mm/80 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs





MONARCH

PUNCHER



MONARCH




DETAILS




- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 200 Bar 330 cc volume aluminum air tank.
- Adjustable five stage (up&down) and two cm moveable (back&front) soft buttpad.
- Adjustable cheek piece.
- Full Shrouded barrel.
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm)
- The 22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality Turkish Walnut stock.
- * Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- *Maximum velocity can verify as per regional requests.
- * Below power results are tested with (Cal.177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)




SIDE LEVER SYSTEM



ADJ. BUTTPAD




22MM MILSPEC PICATINNY



FULL SHROUDED BARREL



ADJ. CHEEK REST



ADJUSTABLE POWER

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	21" / 58 cm	900 fps / 21 Joules 900 fps / 44 Joules 820 fps / 52 Joules	200 Bar / 3000 Psi 330 cc	36.4" / 92.5 cm	14.3" / 36.5 cm	High Quality Turkish Walnut	3.80 kg / 8.35 Lbs	4.5mm/84 Shots 5.5mm/72 Shots 6.35mm/60 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs



NP-01

PUNCHER



NP01 BLACK



TACTICAL STOCK



CAMOUFLAGED SOFT TOUCH



ARMY GREEN SOFT TOUCH

DETAILS



- Side lever action, pre-charged pneumatic (PCP) air rifle.(Left Handed)
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 200 Bar 105 cc volume aluminum air tank.
- Up to 56 shots in cal .177 // 48 shots in cal .22 // 40 shots in cal .25 (From 250 bar to 100 bar)
- Externally adjustable power.
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm).
- Adjustable 6 – Stage (back&forward) moveable tactical stock.
- Adjustable five stage (up&down) and two cm moveable (back&-front) soft buttpad.
- The 11-22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality black synthetic stock.
- * Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- *Maximum velocity can verify as per regional requests.
- * Below power results are tested with (Cal .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)


BOTH AIR PISTOL & AIR RIFLE OPTION IN



LEFT HANDED SIDE LEVER SYSTEM



6-STAGE REAR & FORWARD MOVEABLE TACTICAL STOCK



11x22MM MILSPEC PICATINNY



ADJUSTABLE POWER

Caliber	Length	Velocity / Energy	Pressure / Volume	Length (Stock)	Length (Buttpad)	Material	Weight	Capacity	Caliber Options
4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	10.6" / 27 cm	850 fps / 18.5 Joules 750 fps / 30.5 Joules 680 fps / 35.5 Joules	200 Bar / 2900 Psi 105 cc	17.3" / 44 cm to 19.3" / 49 cm	12.2" / 31 cm to 15.4" / 39 cm	High Quality Synthetic	1.60 kg / 3.50 Lbs 2.05 kg / 4.50 Lbs	4.5mm/56 Shots 5.5mm/48 Shots 6.35mm/40 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs



NP-02

PUNCHER



NP-02 MARINE

DETAILS

- Side lever action, pre-charged pneumatic (PCP) air rifle. (Left Handed)
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 200 Bar 530 cc volume aluminum air tank.
- Adjustable five stage (up&down) and two cm moveable (back&front) soft buttpad.
- Adjustable cheek piece.
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm)
- The 11x22 mm PICATINNY RAIL system is in accor-

- dance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality Turkish Walnut stock.
- * Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- *Maximum velocity can verify as per regional requests.
- * Below power results are tested with (Cal .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)



LEFT HANDED SIDE LEVER SYSTEM



11x22MM MILSPEC PICATINNY



ADJUSTABLE POWER



Caliber	Length	Weight	Magazine	Barrel	Stock	Material	Weight	Velocity	Energy
4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	12.6" / 33 cm	200 Bar / 3000 Psi 530 cc	30.3" / 77 cm	16.1" / 41.3 cm	High Quality Turkish Walnut	2.95 kg / 6.50 Lbs	4.5mm/174 Shots 5.5mm/150 Shots 6.35mm/126 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs	850 fps / 18.50 Joules 800 fps / 35 Joules 750 fps / 40 Joules

NP-03

PUNCHER



DETAILS


- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 200 Bar 180 cc volume aluminum air tank..
- Up to 56 shots in cal .177 // 48 shots in cal .22 // 40 shots in cal .25 (From 200 bar to 100 bar)
- Externally adjustable power.
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot maga-

- zine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm).
- Adjustable 6 - Stage (back&forward) moveable tactical stock.
- Adjustable five stage (up&down) and two cm moveable (back&front) soft buttpad.
- The 11-22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.


- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality black synthetic stock.
- * Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- *Maximum velocity can verify as per regional requests.
- * Below power results are tested with (Cal .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)



6-STAGE REAR & FORWARD MOVEABLE TACTICAL STOCK



11x22MM MILSPEC PICATINNY



FULL SHROUDED BARREL



SIDE LEVER SYSTEM



ADJUSTABLE POWER



Caliber	Length	Weight	Magazine	Barrel	Stock	Material	Weight	Velocity	Energy
4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	16" / 40.7 cm	200 Bar / 3000 Psi 180 cc	30.3" / 57.2 cm to 30.3" / 62.2 cm	11.8" / 31 cm to 11.8" / 39 cm	High Quality Synthetic	2.70 kg / 5.95 Lbs	4.5mm/56 Shots 5.5mm/48 Shots 6.35mm/40 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs	800 fps / 14 Joules 750 fps / 30.5 Joules 700 fps / 32 Joules

RAMBO


PUNCHER



RAMBO



RAMBO MARINE




DETAILS



- Pump action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 200 Bar 280 cc volume aluminum air tank.
- Up to 84 shots in cal .177 // 72 shots in cal .22 // 60 shots in cal .25 (From 200 bar to 50 bar)
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm).
- Adjustable 6 - Stage (back&forward) moveable tactical stock.
- Adjustable five stage (up&down) and two cm moveable (back&-front) soft buttpad.
- The 22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions: right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality black synthetic stock.
- * Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- *Maximum velocity can verify as per regional requests.
- * Below power results are tested with (Cal .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)



22MM MILSPEC PICATINNY



PUMP ACTION SYSTEM



6-STAGE REAR & FORWARD MOVEABLE TACTICAL STOCK

Caliber	Length	Velocity / Energy	Pressure / Volume	Barrel Length	Weight	Material	Weight	Capacity	Caliber / Capacity
4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	20.8" / 53 cm	1100 fps / 20.5 Joules 900 fps / 44 Joules 820 fps / 51.5 Joules	200 Bar / 3000 Psi 280 cc	36" / 91.5 cm	11.8" / 30 cm	High Quality Synthetic	3.40 kg / 7.49 Lbs	4.5mm/84 Shots 5.5mm/72 Shots 6.35mm/60 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs



MEGA

PUNCHER



MEGA



MEGA S SILENT



MEGA C SILENT




MEGA SKULL SILENT

DETAILS



- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 200 Bar 330 cc volume aluminum air tank.
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm)
- The 11x22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in Synthetic, Camouflage or High Quality Turkish Walnut stock.
- **For Synthetic Options ;**
- Adjustable five stage (up&down) and two cm moveable (back&front) soft buttpad.
- Adjustable cheek piece.
- * Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- *Maximum velocity can verify as per regional requests.
- * Below power results are tested with (Cal .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)



11x22MM MILSPEC PICATINNY



SIDE LEVER



ADJ. CHEEK REST



ADJUSTABLE POWER

Caliber	Length	Weight	Pressure	Barrel	Stock	Weight	Shots	Magazine
4.5 mm .177cal	20.8" / 53 cm	900 fps / 20.5 Joules	200 Bar / 3000 Psi 330 cc	41.3" / 105 cm	High Quality Turkish Walnut S/C/SS: High Quality Synthetic	3.55 kg / 7.82 Lbs 3.35 kg / 7.40 Lbs	4.5mm/98 Shots	4.5 mm / 14 Pcs
5.5 mm .22cal		900 fps / 44 Joules					5.5mm/84 Shots	5.5 mm / 12 Pcs
6.35 mm .25ca		820 fps / 51.5 Joules					6.35mm / 70 Shots	6.35 mm / 10 Pcs



BREAKER

PUNCHER



BREAKER W



BREAKER S

DETAILS

- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 200 Bar 280 cc volume aluminum air tank.
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm)
- The 11x22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in Synthetic, Camouflage or High Quality-Turkish Walnut stock.

- **For Synthetic Options ;**
- Adjustable five stage (up&down) and two cm moveable (back&front) soft buttpad.
- Adjustable cheek piece.
- * Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- *Maximum velocity can verify as per regional requests.
- * Below power results are tested with (Cal.177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)



BREAKER WS




BREAKER GS



BREAKER S SILENT



BREAKER S SKULL



11x22MM MILSPEC PICATINNY




HALF SHROUDED BARREL OPTION



SIDE LEVER SYSTEM



ADJ. CHEEK REST



ADJUSTABLE POWER

Caliber	Length	Magazine	Air Tank	Overall Length	Height	Stock	Weight	Shots	Velocity
4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	21" / 53.5 cm	900 fps / 20.5 Joules 900 fps / 44 Joules 820 fps / 51.5 Joules	200 Bar / 3000 Psi 280 cc	28.7" / 73 cm	14.3" / 36.5 cm	W: Turkish Walnut S: Synthetic	W: 3.50 kg / 7.71 Lbs S: 3.30 kg / 7.27 Lbs	4.5mm/98 Shots 5.5mm/84 Shots 6.35mm/70 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs

Caliber	Length	Magazine	Air Tank	Overall Length	Height	Stock	Weight	Shots	Velocity
4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	21" / 53.5 cm	900 fps / 20.5 Joules 900 fps / 44 Joules 820 fps / 51.5 Joules	200 Bar / 3600 Psi 280 cc	28.7" / 73 cm	14.3" / 36.5 cm	WS: Turkish Walnut SL / CAMO: Synthetic	WS: 3.50 kg / 7.71 Lbs SL/CAMO: 3.30 kg / 7.27 Lbs	4.5mm/98 Shots 5.5mm/84 Shots 6.35mm/70 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs



N12



800 FPS

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25cal	19" / 42.5 cm	800 fps / 16.50 Joules 550 fps / 16.50 Joules 500 fps / 19 Joules	Barrel Break Spring / Gas Piston	45.25" / 115 cm	14" / 35.5 cm	Synthetic	2.70 kg / 5.95 Lbs

N-11 BLACK



TRUGLO
SIGHT EQUIPMENT

ARBOREAL

1000 FPS

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25cal	15.5" / 39.5 cm	1000 fps / 25.50 Joules 700 fps / 28 Joules 650 fps / 33 Joules	Barrel Break Spring / Gas Piston	45.25" / 115 cm	14" / 35.5 cm	Synthetic	3.55 kg / 7.82 Lbs

N13



1000 FPS

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25cal	17.7" / 45 cm	1000 fps / 25.50 Joules 700 fps / 28 Joules 650 fps / 33 Joules	Barrel Break Spring / Gas Piston	45.25" / 115 cm	14" / 35.5 cm	Synthetic	3.55 kg / 7.82 Lbs

N-11 LUKS



1000 FPS

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25cal	15.5" / 39.5 cm	1000 fps / 25.50 Joules 700 fps / 28 Joules 650 fps / 33 Joules	Barrel Break Spring / Gas Piston	45.25" / 115 cm	14" / 35.5 cm	Synthetic	4.05 kg / 8.92 Lbs



N-07 WOOD



1000 FPS

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25cal	17.7" / 45 cm	1000 fps / 25.50 Joules 700 fps / 28 Joules 650 fps / 33 Joules	Barrel Break Spring / Gas Piston	45.25" / 115 cm	14" / 35.5 cm	Synthetic	3.40 kg / 7.49 Lbs

N-01



TRUGLO
SIGHT EQUIPMENT

ARBOREAL

800 FPS

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25cal	17.7" / 45 cm	800 fps / 16.50 Joules 550 fps / 16.50 Joules 500 fps / 19 Joules	Barrel Break Spring / Gas Piston	45.25" / 115 cm	14" / 35.5 cm	Synthetic	2.70 kg / 5.95 Lbs

N-07 BLACK



TRUGLO
SIGHT EQUIPMENT

ARBOREAL

1000 FPS

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25cal	17.7" / 45 cm	1000 fps / 25.50 Joules 700 fps / 28 Joules 650 fps / 33 Joules	Barrel Break Spring / Gas Piston	45.25" / 115 cm	14" / 35.5 cm	Synthetic	3.30 kg / 7.27 Lbs

N-02



800 FPS

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25cal	17.7" / 45 cm	800 fps / 16.50 Joules 550 fps / 16.50 Joules 500 fps / 19 Joules	Barrel Break Spring / Gas Piston	45.25" / 115 cm	14" / 35.5 cm	Synthetic	2.70 kg / 5.95 Lbs



N-03



1000 FPS

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25cal	17.7" / 45 cm	1000 fps / 25.50 Joules 700 fps / 28 Joules 650 fps / 33 Joules	Barrel Break Spring / Gas Piston	45.25" / 115 cm	14" / 35.5 cm	Synthetic	2.70 kg / 5.95 Lbs

N-05



800 FPS

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25cal	17.7" / 45 cm	800 fps / 16.50 Joules 550 fps / 16.50 Joules 500 fps / 19 Joules	Barrel Break Spring / Gas Piston	45.25" / 115 cm	14" / 35.5 cm	Synthetic	2.80 kg / 6.17 Lbs

N-04



1000 FPS

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25cal	17.7" / 45 cm	1000 fps / 25.50 Joules 700 fps / 28 Joules 650 fps / 33 Joules	Barrel Break Spring / Gas Piston	45.25" / 115 cm	14" / 35.5 cm	Synthetic	3.20 kg / 7.05 Lbs

N-06



800 FPS

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25cal	17.7" / 45 cm	800 fps / 16.50 Joules 550 fps / 16.50 Joules 500 fps / 19 Joules	Barrel Break Spring / Gas Piston	45.25" / 115 cm	14" / 35.5 cm	Synthetic	2.85 kg / 6.28 Lbs

BIPODS



REAR SIGHTS



MODEL N SERIES ACTION SPRINGS



AIR RIFLE SILENCERS



GAS PISTON



PUNCHER REGULATOR



HAND PUMP MANOMETER



AIR STRIPPER



PCP AIR RIFLE MANOMETER




AIR TANKS



MAGAZINES



PISTON SEAL



FILLING PROBES




ADJUSTABLE BUTT PAD



PUNCHER MODEL MODERATORS



PICATINNY



PUNCHER SINGLE SHOT MAGAZINE



TACTICAL STOCK





KRAL ARMS HAND PUMP



TECHNICAL SPECS

- Maximum 250 bar Fill Pressure
- Flexible Micro-Bore Hose (Inside a spiral steel cage)
- Comfortable, Ergonomic Handle
- Reduced the Sound Significantly
- Made of Aluminum Alloy and Light in Weight
- Pressure Gauge
- Easily Demountable Design
- Wide Foot Plate With Adjustable Pumping Angle

FRONT SIGHTS



PLASTIC BAGS

Plastic Case 1



Plastic Case 2



SCUBA FILLING KIT



Nevzat SÜTÇÜ

KRAL ARMS CO-FOUNDER



1960-2020

Nevzat SUTCU was born on 01.02.1960 in Uzumlu / Konya / Turkey. While he was a child he was realised with his hardworking and ambitious personality.

He studied primary and high school in his hometown. On that period he was on a good grade on metalworks. He worked in workshops to learn more and more besides his school-life.

After his education he started his long&succesful carrier in a small workshop by Manufacturing shotgun parts. After a while Mr. Sutcu and his six friends set up a company together. When this company was decided to be closed by shareholders –Mr. Sutcu and Mr. Ece was starting a long success journey that was named 'Kral Arms'.

When Mr. Sutcu and Mr. Ece first set up Kral Arms in a 200 metersquare workshop they started producing blank firing pistols – after a few years they moved to new facility , where Kral Arms still takes place. In this 18.000 metersquare facility , these young guys had a dream to make Kral Arms one of the most well-known brand in the World.

After a quarter of century , Mr. Sutcu and Mr. Ece had leaded of Manufacturing millions of shotguns and air rifles , with more than 100 Cnc machines and hundreds of employees.

Mr.Sutcu, had also first steps such as , production of first pump action shotgun in Turkey , to produce first electrical system over under shotgun in the World and many other important signatures.



One year before his death , Mr. Sutcu and Mr.Ece bought an area of 28.000 metersquare to build a new factory to start production of rifles, pistols and and put their sign on new projects.

On 2020 September 16 we lost him because of Covid..

Mr. Sutcu – You were not only our boss , but you were also our biggest chief,leader and father.

We will make your dream come true.

WE WILL ALWAYS REMEMBER YOU...





KRAL ARMS

Beysehir / Konya / Turkey | **T:** +90 (332) 524 68 70
M: export@kralarms.com | **F:** +90 (332) 524 68 71



  /kralarms

WWW.KRALARMS.COM

  /kralarmstr